



## Publications using Protein Microarray Technology

(Please note that **engine** GmbH is the legal successor of Source Biosciences, imaGenes, RZPD)

Almamy A, Schwerk C, Schrotten H, Ishikawa H, Asif AR, Reuss B. Crossreactivity of an Antiserum Directed to the Gram-Negative Bacterium *Neisseria gonorrhoeae* with the SNARE-Complex Protein Snap23 Correlates to Impaired Exocytosis in SH-SY5Y Cells. *J Mol Neurosci*. 2017;62: 163–180. [doi:10.1007/s12031-017-0920-2](https://doi.org/10.1007/s12031-017-0920-2)

Leidinger P, Keller A, Milchram L, Harz C, Hart M, Werth A, et al. Combination of autoantibody signature with PSA level enables a highly accurate blood-based differentiation of prostate cancer patients from patients with benign prostatic hyperplasia. *PLoS One*. 2015;10: 1–14. [doi:10.1371/journal.pone.0128235](https://doi.org/10.1371/journal.pone.0128235)

Preuss KD, Pfreundschuh M, Fadle N, Regitz E, Kubuschok B. Sumoylated HSP90 is a dominantly inherited plasma cell dyscrasias risk factor. *J Clin Invest*. 2015;125: 316–323. [doi:10.1172/JCI76802](https://doi.org/10.1172/JCI76802)

Tellermann A, Witte T, Lansche C, Stoll M, Schmidt R, Baerlecken NT. Autoantibodies binding to ubiquitin-fold modifier-conjugating enzyme 1 (Ufc1) and pleckstrin homology domain containing, family G (with RhoGef domain) member 2 (Plekhhg2) are associated with mycobacterial infections. *HIV Med*. 2015;16: 114–121. [doi:10.1111/hiv.12194](https://doi.org/10.1111/hiv.12194)

Baerlecken NT, Nothdorft S, Stummvoll GH, Sieper J, Rudwaleit M, Reuter S, et al. Autoantibodies against CD74 in spondyloarthritis. *Ann Rheum Dis*. 2014;73: 1211–1214. [doi:10.1136/annrheumdis-2012-202208](https://doi.org/10.1136/annrheumdis-2012-202208)

Bloch DB, Li P, Bloch EG, Berenson DF, Galdos RL, Arora P, et al. LMKB/MARF1 localizes to mRNA processing bodies, interacts with Ge-1, and regulates IFI44L gene expression. *PLoS One*. 2014;9. [doi:10.1371/journal.pone.0094784](https://doi.org/10.1371/journal.pone.0094784)

Baerlecken NT, Pursche N, Witte T, Schmidt RE, Hoepfner M, Moosig F. Antibodies Against Drp-4 and Macropain Subunit C2 As a Potential Marker Of Aosd [abstract]. *Arthritis Rheum* 2013. 2013. [doi:10.1002/art.2013.65.issue-s10](https://doi.org/10.1002/art.2013.65.issue-s10)

Baerlecken NT, Witte T, Schmidt RE, Lansche C, Bernateck M, Pursche N. IgG Autoantibodies Against p29ING4 In Early-Stage Type I Complex Regional Pain Syndrome (CRPS) and In Other Inflammatory Diseases Involving The Joints [abstract]. *Arthritis Rheum* 2013. 2013. [doi:10.1002/art.2013.65.issue-s10](https://doi.org/10.1002/art.2013.65.issue-s10)

Becker A, Ludwig N, Keller A, Tackenberg B, Eienbröcker C, Oertel WH, et al. Myasthenia gravis: analysis of serum autoantibody reactivities to 1827 potential human autoantigens by protein microarrays. *PLoS One*. 2013;8: e58095. [doi:10.1371/journal.pone.0058095](https://doi.org/10.1371/journal.pone.0058095)

Martínez FP, Tang Q. Identification of cellular proteins that interact with human cytomegalovirus immediate-early protein 1 by protein array assay. *Viruses*. 2013;6: 89–105. [doi:10.3390/v6010089](https://doi.org/10.3390/v6010089)

Hoepfner M, Witte T, Pursche N, Moosig F, Gross W, Schmidt RE, et al. Antibodies binding to DRP-4 and macropain subunit C2 as a potential marker of AOSD. *Annu Eur Congr Rheumatol Eur Leag Against Rheum EULAR* 2013 Madrid Spain. 2013;72: 1–2. [doi:10.1136/annrheumdis-2013-eular.1017](https://doi.org/10.1136/annrheumdis-2013-eular.1017)

Bader V, Tomppo L, Trossbach S V., Bradshaw NJ, Prikulis I, Rutger Leliveld S, et al. Proteomic, genomic and translational approaches identify CRMP1 for a role in schizophrenia and its underlying traits. *Hum Mol Genet*. 2012;21: 4406–4418. [doi:10.1093/hmg/dd273](https://doi.org/10.1093/hmg/dd273)

- Murphy M a., O'Connell DJ, O'Kane SL, O'Brien JK, O'Toole S, Martin C, et al. Epitope presentation is an important determinant of the utility of antigens identified from protein arrays in the development of autoantibody diagnostic assays. *J Proteomics*. 2012;75: 4668–4675. [doi:10.1016/j.jprot.2012.02.031](https://doi.org/10.1016/j.jprot.2012.02.031)
- Baerlecken NT, Linnemann a., Gross WL, Moosig F, Vazquez-Rodriguez TR, Gonzalez-Gay M a., et al. Association of ferritin autoantibodies with giant cell arteritis/polymyalgia rheumatica. *Ann Rheum Dis*. 2012;71: 943–947. [doi:10.1136/annrheumdis-2011-200413](https://doi.org/10.1136/annrheumdis-2011-200413)
- Backes C, Ludwig N, Leidinger P, Harz C, Hoffmann J, Keller A, et al. Immunogenicity of autoantigens. *BMC Genomics*. 2011;12: 340. [doi:10.1186/1471-2164-12-340](https://doi.org/10.1186/1471-2164-12-340)
- Bauer MC, O'Connell DJ, Maj M, Wagner L, Cahill DJ, Linse S. Identification of a high-affinity network of secretagogin-binding proteins involved in vesicle secretion. *Mol Biosyst*. 2011;7: 2196–2204. [doi:10.1039/c0mb00349b](https://doi.org/10.1039/c0mb00349b)
- Arthur JF, Shen Y, Gardiner EE, Coleman L, Kenny D, Andrews RK, et al. TNF receptor-associated factor 4 (TRAF4) is a novel binding partner of glycoprotein Ib and glycoprotein VI in human platelets. *J Thromb Haemost*. 2011;9: 163–172. [doi:10.1111/j.1538-7836.2010.04091.x](https://doi.org/10.1111/j.1538-7836.2010.04091.x)
- Pless O, Kowenz-Leutz E, Dittmar G, Leutz A. A differential proteome screening system for post-translational modification-dependent transcription factor interactions. *Nat Protoc*. 2011;6: 359–364. [doi:10.1038/nprot.2011.303](https://doi.org/10.1038/nprot.2011.303)
- Schmitt J, Keller A, Nourkami-Tutdibi N, Heisel S, Habel N, Leidinger P, et al. Autoantibody signature differentiates wilms tumor patients from neuroblastoma patients. *PLoS One*. 2011;6: 8–14. [doi:10.1371/journal.pone.0028951](https://doi.org/10.1371/journal.pone.0028951)
- Olsson N, Wingren C, Mattsson M, James P, O'Connell D, Nilsson F, et al. Proteomic Analysis and Discovery Using Affinity Proteomics and Mass Spectrometry. *Mol Cell Proteomics*. 2011;10: M110.003962-M110.003962. [doi:10.1074/mcp.M110.003962](https://doi.org/10.1074/mcp.M110.003962)
- Kijanka G, Hector S, Kay EW, Murray F, Cummins R, Murphy D, et al. Human IgG antibody profiles differentiate between symptomatic patients with and without colorectal cancer. *Gut*. 2010;59: 69–78. [doi:10.1136/gut.2009.178574](https://doi.org/10.1136/gut.2009.178574)
- Fenner BJ, Scannell M, Prehn JHM. Expanding the substantial interactome of NEMO using protein microarrays. *PLoS One*. 2010;5. [doi:10.1371/journal.pone.0008799](https://doi.org/10.1371/journal.pone.0008799)
- O'Connell DJ, Bauer MC, O'Brien J, Johnson WM, Divizio C a, O'Kane SL, et al. Integrated protein array screening and high throughput validation of 70 novel neural calmodulin-binding proteins. *Mol Cell Proteomics*. 2010;9: 1118–1132. [doi:10.1074/mcp.M900324-MCP200](https://doi.org/10.1074/mcp.M900324-MCP200)
- Raab M, Daxecker H, Edwards RJ, Treumann A, Murphy D, Moran N. Protein interactions with the platelet integrin  $\alpha$ IIb regulatory motif. *Proteomics*. 2010;10: 2790–2800. [doi:10.1002/pmic.200900621](https://doi.org/10.1002/pmic.200900621)
- Leidinger P, Keller A, Heisel S, Ludwig N, Rheinheimer S, Klein V, et al. Identification of lung cancer with high sensitivity and specificity by blood testing. *Respir Res*. 2010;11: 18. [doi:10.1186/1465-9921-11-18](https://doi.org/10.1186/1465-9921-11-18)
- Kowenz-Leutz E, Pless O, Dittmar G, Knoblich M, Leutz A. Crosstalk between C/EBP $\beta$  phosphorylation, arginine methylation, and SWI/SNF/Mediator implies an indexing transcription factor code. *EMBO J. Nature Publishing Group*; 2010;29: 1105–1115. [doi:10.1038/emboj.2010.3](https://doi.org/10.1038/emboj.2010.3)

- Yumerefendi H, Tarendeau F, Mas PJ, Hart DJ. ESPRIT: An automated, library-based method for mapping and soluble expression of protein domains from challenging targets. *J Struct Biol. Elsevier Inc.*; 2010;172: 66–74. [doi:10.1016/j.jsb.2010.02.021](https://doi.org/10.1016/j.jsb.2010.02.021)
- Dervan EW, Chen H, Ho SL, Brummel N, Schmid J, Toomey D, et al. Protein macroarray profiling of serum autoantibodies in pseudoexfoliation glaucoma. *Invest Ophthalmol Vis Sci.* 2010;51: 2968–75. [doi:10.1167/iops.09-4898](https://doi.org/10.1167/iops.09-4898)
- Ludwig N, Keller A, Heisel S, Leidinger P, Klein V, Rheinheimer S, et al. Improving seroreactivity-based detection of glioma. *Neoplasia.* 2009;11: 1383–9. [doi:10.1593/neo.91018](https://doi.org/10.1593/neo.91018)
- Fenner BJ, Scannell M, Prehn JHM. Identification of polyubiquitin binding proteins involved in NF-kappaB signaling using protein arrays. *Biochim Biophys Acta. Elsevier B.V.*; 2009;1794: 1010–1016. [doi:10.1016/j.bbapap.2009.02.013](https://doi.org/10.1016/j.bbapap.2009.02.013)
- Kijanka G, Barry R, Chen H, Gould E, Seidlits SK, Schmid J, et al. Defining the molecular target of an antibody derived from nuclear extract of Jurkat cells using protein arrays. *Anal Biochem.* 2009;395: 119–124. [doi:10.1016/j.ab.2009.08.039](https://doi.org/10.1016/j.ab.2009.08.039)
- Kijanka G, IpCho S, Baars S, Chen H, Hadley K, Beveridge A, et al. Rapid characterization of binding specificity and cross-reactivity of antibodies using recombinant human protein arrays. *J Immunol Methods. Elsevier B.V.*; 2009;340: 132–137. [doi:10.1016/j.jim.2008.10.008](https://doi.org/10.1016/j.jim.2008.10.008)
- Kijanka G, Murphy D. Protein arrays as tools for serum autoantibody marker discovery in cancer. *J Proteomics. Elsevier B.V.*; 2009;72: 936–944. [doi:10.1016/j.jprot.2009.02.006](https://doi.org/10.1016/j.jprot.2009.02.006)
- Leidinger P, Keller A, Heisel S, Ludwig N, Rheinheimer S, Klein V, et al. Novel autoantigens immunogenic in COPD patients. *Respir Res.* 2009;10: 20. [doi:10.1186/1465-9921-10-20](https://doi.org/10.1186/1465-9921-10-20)
- Lukong KE, Richard S. Breast tumor kinase BRK requires kinesin-2 subunit KAP3A in modulation of cell migration. *Cell Signal.* 2008;20: 432–442. [doi:10.1016/j.cellsig.2007.11.003](https://doi.org/10.1016/j.cellsig.2007.11.003)
- Pandithage R, Lilischkis R, Harting K, Wolf A, Jedamzik B, Lüscher-Firzlaff J, et al. The regulation of SIRT2 function by cyclin-dependent kinases affects cell motility. *J Cell Biol.* 2008;180: 915–929. [doi:10.1083/jcb.200707126](https://doi.org/10.1083/jcb.200707126)
- Pless O, Kowenz-Leutz E, Knoblich M, Lausen J, Beyermann M, Walsh MJ, et al. G9a-mediated lysine methylation alters the function of CCAAT/Enhancer-binding protein-β. *J Biol Chem.* 2008;283: 26357–26363. [doi:10.1074/jbc.M802132200](https://doi.org/10.1074/jbc.M802132200)
- Yang W-H, Bloch DB. Probing the mRNA processing body using protein macroarrays and “autoantigenomics”. *RNA.* 2007;13: 704–12. [doi:10.1261/rna.411907](https://doi.org/10.1261/rna.411907)
- Horn S, Lueking A, Murphy D, Staudt A, Gutjahr C, Schulte K, et al. Profiling humoral autoimmune repertoire of dilated cardiomyopathy (DCM) patients and development of a disease-associated protein chip. *Proteomics.* 2006;6: 605–613. [doi:10.1002/pmic.200401293](https://doi.org/10.1002/pmic.200401293)
- Lenze D, Berg E, Volkmer-Engert R, Weiser AA, Greiner A, Knörr-Wittmann C, et al. Influence of antigen on the development of MALT lymphoma. *Blood.* 2006;107: 1141–1148. [doi:10.1182/blood-2005-04-1722](https://doi.org/10.1182/blood-2005-04-1722)
- Zhang W, Huang J, Zhou M-F, Chen L-Y, Ding Y-P, Cao H-J, et al. Protein Chip for Detection of Different HCV Antibodies. *Mol Diagnosis.* 2005;9: 81–87. [doi:10.2165/00066982-200509020-00004](https://doi.org/10.2165/00066982-200509020-00004)



- Cepok S, Zhou D, Srivastava R, Nessler S, Stei S, Büsow K, et al. Identification of Epstein-Barr virus proteins as putative targets of the immune response in multiple sclerosis. *J Clin Invest*. 2005;115: 1352–1360. [doi:10.1172/JCI200523661.1352](https://doi.org/10.1172/JCI200523661.1352)
- Grelle G. Identification of VCP/p97, Carboxyl Terminus of Hsp70-interacting Protein (CHIP), and Amphiphysin II Interaction Partners Using Membrane-based Human Proteome Arrays. *Mol Cell Proteomics*. 2005;5: 234–244. [doi:10.1074/mcp.M500198-MCP200](https://doi.org/10.1074/mcp.M500198-MCP200)
- Büsow K, Scheich C, Sievert V, Harttig U, Schultz J, Simon B, et al. Structural genomics of human proteins--target selection and generation of a public catalogue of expression clones. *Microb Cell Fact*. 2005;4: 21. [doi:10.1186/1475-2859-4-21](https://doi.org/10.1186/1475-2859-4-21)
- Gutjahr C, Murphy D, Lueking A, Koenig A, Janitz M, O'Brien J, et al. Mouse protein arrays from a TH1 cell cDNA library for antibody screening and serum profiling. *Genomics*. 2005;85: 285–296. [doi:10.1016/j.ygeno.2004.11.005](https://doi.org/10.1016/j.ygeno.2004.11.005)
- Lueking A, Huber O, Wirths C, Schulte K, Stieler KM, Blume-peytavi U, et al. Profiling of Alopecia Areata Autoantigens Based on Protein Microarray Technology \*. 2005; 1382–1390. [doi:10.1074/mcp.T500004-MCP200](https://doi.org/10.1074/mcp.T500004-MCP200)
- Lueking A, Cahill DJ, Müllner S. Protein biochips: A new and versatile platform technology for molecular medicine. *Drug Discov Today*. 2005;10: 789–794. [doi:10.1016/S1359-6446\(05\)03449-5](https://doi.org/10.1016/S1359-6446(05)03449-5)
- Büsow K, Quedenau C, Sievert V, Tischer J, Scheich C, Seitz H, et al. A catalog of human cDNA expression clones and its application to structural genomics. *Genome Biol*. 2004;5: R71. [doi:10.1186/gb-2004-5-9-r71](https://doi.org/10.1186/gb-2004-5-9-r71)
- Kramer A, Feilner T, Possling A, Radchuk V, Weschke W, Bürkle L, et al. Identification of barley CK2 $\alpha$  targets by using the protein microarray technology. *Phytochemistry*. 2004;65: 1777–1784. [doi:10.1016/j.phytochem.2004.04.009](https://doi.org/10.1016/j.phytochem.2004.04.009)
- De Graaf K, Hekerman P, Spelten O, Herrmann A, Packman LC, Büsow K, et al. Characterization of cyclin L2, a novel cyclin with an arginine/serine-rich domain. Phosphorylation by DYRK1a and colocalization with splicing factors. *J Biol Chem*. 2004;279: 4612–4624. [doi:10.1074/jbc.M310794200](https://doi.org/10.1074/jbc.M310794200)
- Ludes-Meyers JH, Kil H, Bednarek AK, Drake J, Bedford MT, Aldaz CM. WWOX binds the specific proline-rich ligand PPXY: identification of candidate interacting proteins. *Oncogene*. 2004;23: 5049–55. [doi:10.1038/sj.onc.1207680](https://doi.org/10.1038/sj.onc.1207680)
- Maercker C. Protein-Chips in der Genomforschung. *Laborwelt*. 2004; 12–15.
- Radelof, U., Hüls, C., Korn, B., Maurer J. Proteinarrays und rekombinante Proteine für die Proteinanalyse. *Labor Welt*. 2004;5: 35.
- Will J. Charakterisierung der Interaktion der humanen Histon-Deacetylase 3 mit der MAP Kinase 11. 2004. [doi:10.1007/s13398-014-0173-7.2](https://doi.org/10.1007/s13398-014-0173-7.2)
- Lueking A, Possling A, Huber O, Beveridge A, Horn M, Eickhoff H, et al. A Nonredundant Human Protein Chip for Antibody Screening and Serum Profiling. *Mol Cell Proteomics*. 2003;2: 1342–1349. [doi:10.1074/mcp.T300001-MCP200](https://doi.org/10.1074/mcp.T300001-MCP200)
- Holz C, Hesse O, Bolotina N, Stahl U, Lang C. A micro-scale process for high-throughput expression of cDNAs in the yeast *Saccharomyces cerevisiae*. *Protein Expr Purif*. 2002;25: 372–378. [doi:10.1016/S1046-5928\(02\)00029-3](https://doi.org/10.1016/S1046-5928(02)00029-3)

- Piontek J, Régnier-Vigouroux A, Brandt R. Contact with astroglial membranes induces axonal and dendritic growth of human CNS model neurons and affects the distribution of the growth-associated proteins MAP1b and GAP43. *J Neurosci Res*. 2002;67: 471–483. [doi:10.1002/jnr.10094](https://doi.org/10.1002/jnr.10094)
- Schmidt F, Lueking A, Nordhoff E, Gobom J, Klose J, Seitz H, et al. Generation of minimal protein identifiers of proteins from two-dimensional gels and recombinant proteins. *Electrophoresis*. 2002;23: 621–625. [doi:10.1002/1522-2683\(200202\)23:4<621::AID-ELPS621>3.0.CO;2-J](https://doi.org/10.1002/1522-2683(200202)23:4<621::AID-ELPS621>3.0.CO;2-J)
- Fischer A. Biochemische Charakterisierung der basischen Hey1 und Hey2 sowie Untersuchung ihrer Rolle während der Herz- und Gefässentwicklung. Julius-Maximilian-Universität zu Würzburg. 2002.
- Lee J, Bedford MT. PABP1 identified as an arginine methyltransferase substrate using high-density protein arrays. *EMBO Rep*. 2002;3: 268–273. [doi:10.1093/embo-reports/kvf052](https://doi.org/10.1093/embo-reports/kvf052)
- de Wildt RMT, Tomlinson IM, Ong JL, Holliger P. Isolation of receptor-ligand pairs by capture of long-lived multivalent interaction complexes. *Proc Natl Acad Sci U S A*. 2002;99: 8530–8535. [doi:10.1073/pnas.132008499](https://doi.org/10.1073/pnas.132008499)
- Cahill DJ. Protein and antibody arrays and their medical applications. *J Immunol Methods*. 2001;250: 81–91. [doi:10.1016/S0022-1759\(01\)00325-8](https://doi.org/10.1016/S0022-1759(01)00325-8)
- Büssow K, Konthur Z, Lueking A, Lehrach H, Walter G. Protein Array Technology. *Am J Pharmacogenomics*. 2001;1: 37–43. [doi:10.2165/00129785-200101010-00005](https://doi.org/10.2165/00129785-200101010-00005)
- Schreiber S, Hampe J, Eickhoff H, Lehrach H. Functional genomics in gastroenterology. *Gut*. 2000;47: 601–607. [doi:10.1136/gut.47.5.601](https://doi.org/10.1136/gut.47.5.601)
- Lueking A, Holz C, Gotthold C, Lehrach H, Cahill D. A System for Dual Protein Expression in *Pichia pastoris* and *Escherichia coli*. *Protein Expr Purif*. 2000;20: 372–378. [doi:10.1006/prep.2000.1317](https://doi.org/10.1006/prep.2000.1317)
- Büssow K, Nordhoff E, Lübbert C, Lehrach H, Walter G. A human cDNA library for high-throughput protein expression screening. *Genomics*. 2000;65: 1–8. [doi:10.1006/geno.2000.6141](https://doi.org/10.1006/geno.2000.6141)
- Holt LJ, Büssow K, Walter G, Tomlinson IM. By-passing selection: direct screening for antibody-antigen interactions using protein arrays. *Nucleic Acids Res*. 2000;28: E72. [doi:10.1093/nar/28.15.e72](https://doi.org/10.1093/nar/28.15.e72)
- Büssow K, Cahill D, Nietfeld W, Bancroft D, Scherzinger E, Lehrach H, et al. A method for global protein expression and antibody screening on high-density filters of an arrayed cDNA library. *Nucleic Acids Res*. 1998;26: 5007–8. [doi:10.1093/nar/26.21.5007](https://doi.org/10.1093/nar/26.21.5007)